



Memory Choices for Mass Market Distribution Customers

Micron®
Product
Lifecycle
Solutions

Micron Product Lifecycle Solutions

Micron's Product Lifecycle Solutions bring the stability of our memory support into alignment with the lifecycle of your design. Depending on your specific requirements, choose between our standard lifecycle support and the extended support of our Product Longevity Program (PLP).

Standard Lifecycle Products

For customers with application lifecycles of up to 7 years

- DRAM, LPDRAM, SLC/MLC NAND, e.MMC, MCPs, SSDs and other products
- Leading-edge technology, optimum performance/feature combinations, multiple densities, cost-effective products
- Strong record of long-term support for legacy products
- Up to 5-year roadmap visibility for standard products
- Standard JEDEC conversion and discontinuance time lines apply

Product Longevity Program (PLP)

For customers with application lifecycles of 7–10+ years

- Select DRAM and NAND products
- Stability and longevity for mission-critical applications with extensive design-in or requalification requirements
- Minimum 10-year form, fit, function compatibility from the date of introduction
- Extended 2-year conversion timeline in case of part number change or discontinuance



Product **Longevity** Program

3 Benefits of Micron's Product Lifecycle Solutions

1. Broad Portfolio

An extensive portfolio of multiple memory technology products, rigorously tested to ensure consistent performance for the automotive, industrial, and commercial-grade categories.

2. Stability

Maintain quality and reliability by using form-, fit-, and function-compatible devices throughout the life of your application.

3. Project Savings

Minimize total project costs by selecting a memory solution that best matches your product lifecycle.





Product Longevity Program

For customers with application lifecycles of 7–10+ years

	Product Family*	Density Range	Temp Range
DRAM	LPDDR2 (MT42)	512Mb–1Gb	AT
	DDR3 (MT41)	1–4Gb	IT, AT
	DDR2 (MT47)	1–2Gb	IT, AT
	DDR (MT46)	256–512Mb	IT, AT
	SDRAM (MT48)	128–256Mb	IT, AT
NOR and NAND Flash	Serial NOR (N25Q → MT25Q)	128–256Mb	IT, AT
	Parallel NOR (M29EW → MT28EW)	128Mb–1Gb	IT
	Parallel NOR (M29W → MT28EW)	128–256Mb	IT, AT
	SLC, VLP NAND Flash (MT29)	8Gb	IT
	SLC, LP NAND Flash (MT29)	1–4Gb	IT
	SLC, SPI NAND Flash (MT29)	1–4Gb	IT
Not For New Designs Valid through current PLP timelines; EOL PCNs issued	Parallel NOR (M29EW)	64Mb	IT
	Parallel NOR (M29W)	8–64Mb	IT, AT
	Parallel NOR (M58BW)	16Mb	AT
	Parallel NOR (P30/P33)	64Mb–1Gb	IT
	Parallel NOR (J3)	64–256Mb	IT
	Serial NOR (N25Q)	32–64Mb	IT, AT
	Serial NOR (M25PE/M45PE)	4–16Mb	IT
	Serial NOR (M25P)	4–16Mb	IT, AT
	SLC, SP NAND Flash (NAND)	128–512Mb	IT

*The partial part numbers referenced above are product family designators only. PLP parts are a select subset of Micron's portfolio; not all part types, configurations, densities or options are included. For specific part numbers, refer to the PLP part list at www.micron.com/lifecycle or contact your sales representative.

micron.com/lifecycle

Micron's PLP is not a commitment to a static product, nor is it a guarantee of supply. Micron reserves the right to exclude certain products from the PLP.

Products are warranted only to meet Micron's production data sheet specifications. Products, programs, and specifications are subject to change without notice. Dates are estimates only.

©2018 Micron Technology, Inc. Micron and the Micron logo are trademarks of Micron Technology, Inc. All other trademarks are the property of their respective owners. All rights reserved. Rev. C 1/18 CCMMD-676576390-1461

